

Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

MORBIDITY AND MORTALITY.

MORBIDITY AND MORTALITY TABLE FOR CERTAIN DISEASES, CITIES OF THE UNITED STATES, FOR WEEK ENDED SEPT. 28, 1912.

Cities.	Popula- tion, United	Total deaths	Diph- theria.		Measles.		Scarlet fever.		Tuber- culosis.		Ty- phoid fever.	
	States census 1910.	from all causes.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Cities having over 500,000 in- habitants.												
Baltimore, Md. Boston, Mass. Chicago, Ill. leveland, Ohio. New York, N. Y Pittsburgh, Pa St. Louis, Mo	558, 485 670, 585 2, 185, 283 560, 663 4, 766, 883 533, 905 687, 029	159 192 563 144 1,194 148 198	16 35 130 75 152 47 32	21 1 12 2 4	6 13 34 5 49 47 3	1 1 1 3 3 1	6 9 72 22 65 25 12	1 10 2 2 2 1	39 44 118 22 428 18 24	16 24 63 15 126 9	41 14 34 9 128 3 34	7 3 4 22
Cities having from \$00,000 to 500,000 inhabitants.											-	
Buffalo, N. Y Cincinnati, Ohio Detroit, Mich Los Angeles, Cal Milwaukee, Wis. Newark, N. J New Orleans, La San Francisco, Cal Washington, D. C.	423,715 364,463 465,766 319,198 373,857 347,469 339,075 416,912 331,069	130 95 167 100 88 107 99 94	14 12 25 29 15 17 6 5	2 1 1 6 1 1 			14 7 11 8 3 5 2 1	1	23 20 36 14 40 33 17 17	12 18 12 6 9 17	3 5 6 6 4 4 4 4 24	1 1 1 1 1 2
Cities having from 200,000 to 300,000 inhabitants.	•											
Jersey City, N. J	267,779 248,381 224,326	67 74	3 10	2			2 4		2 5	3 3 6	4 7	 i
Cities having from 100,000 to 200,000 inhabitants.												
Bridgeport, Conn Cambridge, Mass Columbus, Ohio Dayton, Ohio Fall River, Mass Grand Rapids, Mich Lowell, Mass Nashville, Tenn Oakland, Cal Omaha, Nebr Richmond, Va Spokane, Wash Worcester, Mass	102, 054 104, 839 181, 548 116, 577 119, 295 112, 571 100, 294 110, 364 150, 174 124, 096 127, 628 104, 402 145, 986	21 30 42 33 41 28 32 32 30 45	2 3 10 31 2 1 3 3 2 4 10	1 1 1 1 1 	1 1 1 1 1 1		1 16 3 2 17 6 1 1 14	1	5 6 3 4 3 2 3	2 6 4 3 5 1 2 3 1 5 1	3 10 10 19 3 11 3 4 7 1	3
Cities having from 50,000 to 100,000 inhabitants.												
Altoona, Pa. Bayonne, N. J. Brockton, Mass. Camden, N. J. Duluth, Minn. Elizabeth, N. J. Erie, Pa. Evansville, Ind. Harrisburg, Pa. Hartford, Conn. Hoboken, N. J. Johnstown, Pa. Lawrence, Mass. Lynn, Mass. Lynn, Mass. Manchester, N. H. New Bedford, Mass. Oklahoma City, Okla Passaic, N. J. Passaic, N. J. Peoria, Ill.	52, 127 55, 545 56, 545 94, 538 78, 466 66, 525 69, 647 64, 186 98, 915 70, 324 55, 482 88, 892 89, 336 70, 063 96, 652 64, 205 54, 773 66, 950	12 23 13 16 27 31 17 14 41 20 21 15 23 23 11 20 0 18	55 55 24 4 11 12 22 3 12 3 17 1 1 3 4 4 3 1	2 3 2	16 2 2 2 1 1 1 1 6		1 2 2 16 1 1 2 1 1 4 4	2	4 5 4 8 1 3 9 2 1 1 1 2 2	1 3 2 1 1 2 1 2 1 1 2 1 1 1 1 1 1 1 1 1	1 1 1 4 1 2 2 2 4 1	1

MORBIDITY AND MORTALITY—Continued.

Morbidity and mortality table for certain diseases, cities of the United States, for week ended Sept. 28, 1912—Continued.

	Popula- tion, United	Total deaths	Dip ther	oh- ria.	Meas	les.	Scar feve	let er.	Tu cul	ber- osis.	Ty pho feve	id er.
Cities.	States census 1910.	from all causes.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Cities having from 50,000 to 100,000 inhabitants—Con.												
Portland, Me Reading, Pa Reading, Pa Saginaw, Mich Schenectady, N. Y South Bend, Ind Springfield, Ill Springfield, Mass Trenton, N. J Wilkes-Barre, Pa Yonkers, N. Y Cities having from 25,000 to	58, 571 96, 071 50, 510 72, 826 53, 684 51, 678 88, 926 96, 815 67, 105 79, 803	23 26 14 12 8 16 37 34 27 24	1 6 2 3 3 2 2 2 3 7	1 2	3 1		1 2 2		9 4 5 2 8 2 4	2 2 1 1 1 1 2 3	4 3 2 3 2 2 2 2 2	2 3
Atlantic City, N. J. Auburn, N. Y. Auburn, N. Y. Auburn, N. Y. Aurora, Ill. Berkeley, Cal Binghamton, N. Y. Brookline, Mass. Butte, Mont. Chelsea, Mass Chicopee, Mass. Danville, Ill. East Orange, N. J. Elmira, N. Y. Everett, Mass. Fitchburg, Mass. Hayerhill, Mass. Kalamazoo, Mich. Knoxville, Tenn. La Crosse, Wis. Lancaster, Pa. Lexington, Ky. Lynchburg, Va. Malden, Mass. Montgomery, Ala New Castle, Pa. Newport, Ky. Newton, Mass. Niagrar Falls, N. Y. Norristown, Pa. Orange, N. J. Pasadena, Cal Pittsfield, Mass. Portsmouth, Va. Racine, Wis. Roanoke, Va. Rockford, Ill. Salem, Mass. San Diego, Cal South Omaha, Nebr Superior, Wis Taunton, Mass Wattham, Mass Watthoken, N. J. Wheeling, W. Va Williamsport, Pa.	46, 150 34, 668 29, 807 40, 434 48, 443 27, 792 39, 165 32, 452 25, 401 27, 871 33, 186 39, 437 36, 346 44, 115 39, 437 36, 346 30, 417 47, 227 39, 494 44, 404 38, 136 36, 280 30, 309 39, 806 30, 487 46, 491 43, 697 43, 697 43, 697 43, 697 44, 404 43, 697 43, 697 43, 697 44, 401 43, 697 43, 697 44, 641 43, 697 46, 259 47, 875 26, 259 40, 384 45, 401 43, 697 46, 401 43, 697 46, 401 43, 697 46, 401 43, 697 46, 401 43, 697 46, 401 43, 697 46, 401 43, 697 46, 401 43, 697 46, 401 47, 687 48, 697 49, 688 49, 68	13 10 11 8 14 4 5 12 12 17 8 8 9 15 12 12 12 12 12 12 12 12 12 12 12 12 12	1 1 2 4 4 5 1 1 2 2 3 3 1 1 1 1 1 4 5 5	1	1 1 4 2 2 3 3		1 1 5 4 1 1 4 4 5 5 1 1 1 2 1 1 1 2 1 1	1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 3 2 1 1 2 2 1 3 1 1 2 2 1 1 1 1 1 1 1	1 2 2 2 1 1 4 4	1 2
Alameda, Cal	23, 833 14, 817 15, 191 17, 079 17, 759	10 7 0 14	5	1	1 1		3		1	1	1 1	

MORBIDITY AND MORTALITY—Continued.

Morbidity and mortality table for certain diseases, cities of the United States, for week ended Sept. 28, 1912—Continued.

Cities having less than 25,000 inhabitants—Continued. Combined inhabitants—Continued. Continued inhabitants—Continued. Continued inhabitants—Continued. Continued inhabitants—Continued in	Cities.	Popula- tion, United	Total deaths	Diph- theria.		Measles.		Scarlet fever.		Tuber- culosis.		Ty- phoid fever.	
Butler, Pa. 20,728 2 1 1 Cambridge, Ohio 11,327 2 1 Combridge, Ohio 11,327 2 1 Combridge, Ohio 11,327 2 1 Columbus, Ga 12,687 1 Columbus, Ga 20,554 7 2 2 2 2 2 2 2 Concord, N. H. 21,497 11 1 1 1 1 1 1 1 1		States census	all	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Cambridge, Ohio 11, 327 2 1 Clinton, Mass 13,075 3 4 Coffeyville, Kans. 12,687 1 Columbus, Ga 20,554 7 2 Columbus, Ind 2 2 2 Concord, N. H. 21,497 11 1 9 Dunkirk, N. Y. 1 1 9 1 1 9 Dunkirk, N. Y. 1 1 1 1 1 9 1 1 9 1 1 9 1 1 9 1 1 9 1 1 9 1 1 9 1 1 9 1 <t< th=""><th>Cities having less than 25,000 inhabitants—Continued.</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></t<>	Cities having less than 25,000 inhabitants—Continued.												
Saratoga Springs, N. Y. 7 1 1 South Bethlehem, Pa. 6 1 Steelton, Pa. 14.246 4 6 6	Cambridge, Ohio. Clinton, Mass. Cofleyville, Kans. Columbus, Ga. Columbus, Ind. Concord, N. H. Cumberland, Md. Dunkirk, N. Y. Galesburg, Ill. Harrison, N. J. Kearney, N. J. La Fayette, Ind. Logansport, Ind. Marinette, Wis. Marsillon, Ohio. Medford, Mass. Melrose, Mass. Moline, Ill. Morristown, N. J. Norristown, N. J. Nanticoke, Pa. Newburyport, Mass. Northandmyton, Mass. Ottumwa, Iowa. Palmer, Mass. Plainfield, N. J. Saratoga Springs, N. Y. South Bethlehem, Pa.	11, 327 13, 075 12, 687 20, 554 21, 497 21, 839 22, 089 20, 081 14, 610 14, 479 23, 870 23, 150 15, 715 24, 190 21, 150 12, 507 18, 857 19, 240 22, 019 24, 019 25, 019 26, 019 27, 019 28, 019 29, 019 21, 019 21, 019 21, 019 22, 019 21, 019 22, 019 23, 550	3 7 22 111 9 1 1 5 22 111 6 3 3 5 2 2 4 4 4 4 3 117 8 8 117 7 6	1 2 1 1 1 1 1 1 1	1	1		1		1 1 1 1	1 1 1 1 1	1 1 2 2 1 1 2 2 1 1 1 2 2 1 1 1 1 1 1 1	i i i i i i i i i i i i i i i i i i i

STATISTICAL REPORTS OF MORBIDITY AND MORTALITY, STATES OF THE UNITED STATES (Untabulated.)

MICHIGAN.—Month of August, 1912. Population, 2,810,173. Total number of deaths from all causes 3,010, including diphtheria 18, measles 3, scarlet fever 6, tuberculosis 161, typhoid fever 40.

UTAH.—Month of August, 1912. Population, 373,351. Total number of deaths from all causes 281, including diphtheria 1, smallpox 1, tuberculosis 5, typhoid fever 3. Cases reported: Diphtheria 14, measles 16, scarlet fever 22, smallpox 72, tuberculosis 7 (incomplete), typhoid fever 96.

WISCONSIN.—Three months ended June 30, 1912. Population, 2,333,860. Total number of deaths from all causes 7,079, including diphtheria 46, measles 56, scarlet fever 76, tuberculosis 375, typhoid fever 60. Cases reported: Diphtheria 376, measles 1,856, scarlet fever 876, smallpox 183, tuberculosis, pulmonary, 308, typhoid fever 183.